



High End RGB Light Design 2.1 Music Speakers With 4Ω Subwoofer Impedance

Basic Information

Place of Origin: China
Brand Name: OEM
Model Number: H-907
Minimum Order 1000

Quantity:

Price: NegotiationPackaging Details: Gift box

• Delivery Time: 25-30 days after deposit

Payment Terms: T/T or L/C at sight
 Supply Ability: 10000 pcs per month



Product Specification

Power: 30WSubwoofer Size: 4 Inch

Satellite Impedance: 4Ω

• Frequency Response: 20Hz-20KHz

• Product Name: 2.1 Multimedia Speaker

• Subwoofer Impedance: 4Ω • Subwoofer Power: 20W
• Satellite Size: 3 Inch

Highlight: RGB Light 2.1 Music Speakers,

high end 2.1 Music Speakers, 4Ω 2.1 Music Speakers



Product Description

3 Inch Satellite Home Theater Speakers With 4Ω Subwoofer Impedance

Product Description:

2.1 Multimedia Speaker: An Innovative 2.1-Ch Computer Speaker System

A 2.1 ch multimedia speaker system, this 2.1 multimedia speaker is designed for a great audio experience. It is equipped with a 4 inch subwoofer and two 4Ω satellite speakers, to provide a rich and powerful sound. Moreover, the RGB light design creates a unique and stylish atmosphere. This multimedia speaker system also provides various audio functions, including USB, FM, AUX, Bluetooth and remote control. With such excellent design and features, the 2.1 Multimedia Speaker is the perfect choice for PC gaming, movies, music and more.

Features:

2.1 Multimedia Speaker

Bluetooth speakers Gaming speakers 2.1 channel speaker Satellite Impedance: 4Ω Satellite Power: $5W^*2$

Sensitivity: 65dB

Frequency Response: 20Hz-20KHz

Technical Parameters:

Parameters	Property
Functions	USB/ FM/ AUX/ BLUETOOTH/ REMOTE CONTROL
Impedance	4Ω
Satellite Power	5W*2
Satellite Size	3 Inch
RGB Light	Yes
Frequency Response	20Hz-20KHz
Subwoofer Power	20W
Sensitivity	65dB
Subwoofer Impedance	4Ω
Subwoofer Size	4 Inch



Applications:

This 2.1 Multimedia Speaker system from OEM is an ideal choice for 2.1 home theater speakers, 2.1 laptop speakers or 2.1 channel speaker system. It is made in China and requires a minimum order quantity of 1000 pieces. The price is negotiable and delivery time is 25-30 days after deposit. The payment terms are T/T or L/C at sight. It offers a powerful output of 30W and a sensitivity of 65dB, with a frequency response of 20Hz-20KHz. The two satellite speakers have a power of 5W*2 and the package comes with a gift box. OEM can provide up to 10000 pieces per month.

Customization:

2.1 Multimedia Speaker_

Brand Name: OEM
Place of Origin: China
Minimum Order Quantity: 1000

Price: Negotiation
Packaging Details: Gift box

Delivery Time: 25-30 days after deposit Payment Terms: T/T or L/C at sight Supply Ability: 10000 pcs per month Subwoofer Impedance: 4Ω Subwoofer Power: 20W

Power: 30W Satellite Power: 5W*2 Satellite Size: 3 Inch

Highlight Keywords: 2.1 home theater speakers, 2.1 Bluetooth speakers, 2.1 home theater speakers

Packing and Shipping:

Packaging and Shipping of 2.1 Multimedia Speaker

The 2.1 Multimedia Speaker is packaged in a box with the following dimensions: Length: 33 cm, Width: 11 cm, Height: 30 cm. The box is made of cardboard and contains air cushioning material to protect the product during shipping. The product will be shipped via UPS or FedEx, with shipping time estimated at 4-6 business days.

FAQ:

Q:-What is the brand-name-of-this product?-

A: The brand name of this product is OEM.

Q: Where is this product made?

A: This product is made in China.

Q: What is the minimum order quantity?

A: The minimum order quantity is 1000.

Q: How much is this product?

A: The price is negotiable.

Q: How will the product be packaged?

A: The product will be packaged in a gift box.

Q: How long will it take to deliver the product?

A: It will take 25-30 days to deliver the product after deposit.

Q: What are the payment terms?

A: The payment terms are T/T or L/C at sight.

Q: How many products can be supplied each month?

A: We can supply 10000 pcs per month.

COOMAER® Huizhou Coomaer Technology Co., Ltd.

0086 15207699382

teena@coomaer.com

coomaer.cn