



Custom Built TV Sound Bar Speaker Audio System Wireless Surround Sound 5.1.2 USB Home Theater Speakers With Subwoofer

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Coomaer
- Model Number: DB-8712
- Minimum Order Quantity: 500
- Price: \$118.50/500sets
- Payment Terms: T/T, L/C





Product Specification

- Product Name: 5.1.2 Home Theatre System Wireless Speaker
- Model Number: DB-8712
- Output Power: FRL:20W*2+TRL:20W*2+C:20W*2+SRL:20W (RMS)
- Speaker Driver: FRL:4890*2+ TRL:2"*2
+C:48*2+SRL:4480*2+ SUB:6.5"*1
- Frequency Response: 20Hz-20KHz
- Input Sensitivity: SOUNDBAR: 774mV±50mV; Subwoofe: 300mV±50mV
- Blue Tooth Version: Version:5.3 Range:up To 10m
- Adaptor: SOUNDBAR:AC220V/DC24V3.5A;Subwoofe:




More Images



for more products please visit us on coomaer.cn

5.1.2ch Speaker System Be Amazed, Be Enveloped

5.1.2ch surround sound with angled up-firing speakers, side beam surround speakers, front speakers and a powerful wireless subwoofer, presents the best Dolby Atmos experience to you.




2 Rear Surround Speakers

Connect 2 rear speakers with rear surround cable (20ft), power the right rear speaker for wireless pair with the sound bar.

4K cinema
sound effect

low frequency enhancement
system



Small and Full-Featured Remote Control

Small remote control, switch on/off, volume, input switching, sound effect selection, mute, etc. in the palm of your hand.



Multiple connection modes

Our soundbar supports an extensive array of connections including Optical, hdmi-ARC, AUX, and the latest Bluetooth 5.3, compatibility with nearly all devices. We provide illustrated instructions, videos, and all the necessary mounting accessories to make the setup process a breeze.



product size



Product Specification

Adaptor	SOUNDBAR:AC220V/DC24V3.5A; Subwoofer: AC220V/4A
Output power	FRL:20W*2+TRL:20W*2+C:20W*2+SRL:20W*2+Subwoofer:80W (RMS)
Speaker Driver	FRL:4890*2+ TRL:2"*2 +C:48*2+SRL:4480*2+ SUB:6.5"*1
Impedance	FRL:8 ohm*2+ TRL:8 ohm*2 +C:8 ohm*2 +SRL8ohm*2+ Subwoofer:4 ohm*1
Frequency response	20Hz-20KHz
Signal to noise ratio	≥ 72dB
The distortion degree of	≤1%(1K/1W)
Input sensitivity	SOUNDBAR: 774mV±50mV; Subwoofer: 300mV±50mV
Size Measure	SOUNDBAR :400*58*100mm SR/SL:150*58*100mmx4
Bluetooth version	Version:5.3 Range:up to 10m

Company Introduction

10+ Years Of Experience

Professional Audio Product

ISO9001

ODM/OEM

Own Factory

More >>

Workplace Showcase



Exhibition Hall Area



office area




Engineering Department



Production workshop area



Electroacoustic Laboratory



Aging room



SMT workshop



Injection molding workshop area



Warehouse

Workplace Showcase



Exhibition Hall Area



office area




Engineering Department



Production workshop area



Electroacoustic Laboratory



Aging room



SMT workshop



Injection molding workshop area



Warehouse

Our Services

We offer a range of customization services, including Product Re-customization Development, personalized product logos, laser engraving, color printing, and pattern U printing. Additionally, we provide tailored packaging solutions to meet your specific needs



ODM



ODM

Exhibition Display



2024. Guangzhou



2023. Guangzhou



2021. Guangzhou



2019. India



2019. Russia



2019. Indonesia



2019. HK



2018. HongKong

Certificates

The Company has obtained ISO9001 certification and various product certifications: CCC, CE, FCC, ROHS.



Packing Shipping



COOMAER® Huizhou Coomaer Technology Co., Ltd.

☎ 0086 15207699382

✉ teena@coomaer.com

🌐 coomaer.cn